

ISLEVER

JN0-331

SEC, Specialist(JNCIS-SEC)

DEMO

<https://www.islever.com/jn0-331.html>

<https://www.islever.com/juniper.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Regarding zone types, which statement is true?

- A. You cannot assign an interface to a functional zone.
- B. You can specify a functional zone in a security policy.
- C. Security zones must have a scheduler applied.
- D. You can use a security zone for traffic destined for the device itself.

Answer: D

QUESTION NO: 2

Regarding attacks, which statement is correct?

- A. Both DoS and propagation attacks exploit and take control of all unprotected network devices.
- B. Propagation attacks focus on suspicious packet formation using the DoS SYN-ACK-ACK proxy flood.
- C. DoS attacks are directed at the network protection devices, while propagation attacks are directed at the servers.
- D. DoS attacks are exploits in nature, while propagation attacks use trust relationships to take control of the devices.

Answer: D

QUESTION NO: 3

Click the Exhibit button.

[edit schedulers]

user@host# show

```
scheduler now {  
  monday all-day;  
  tuesday exclude;  
  wednesday {  
    start-time 07:00:00 stop-time 18:00:00;  
  }  
  thursday {  
    start-time 07:00:00 stop-time 18:00:00;  
  }  
}
```

[edit security policies from-zone Private to-zone External]

user@host# show

```
policy allowTransit {
```

```
match {
source-address PrivateHosts;
destination-address ExtServers;
application ExtApps;
}
then {
permit {
tunnel {
ipsec-vpn myTunnel;
}}}
scheduler-name now;
```

Based on the configuration shown in the exhibit, what are the actions of the security policy?

- A. The policy will always permit transit packets and use the IPsec VPN myTunnel.
- B. The policy will permit transit packets only on Monday, and use the IPsec VPN Mytunnel.
- C. The policy will permit transit packets and use the IPsec VPN myTunnel all day Monday and Wednesday 7am to 6pm, and Thursday 7am to 6pm.
- D. The policy will always permit transit packets, but will only use the IPsec VPN myTunnel all day Monday and Wednesday 7am to 6pm, and Thursday 7am to 6pm.

Answer: C

QUESTION NO: 4

Which two statements are true regarding proxy ARP? (Choose two.)

- A. Proxy ARP is enabled by default.
- B. Proxy ARP is not enabled by default.
- C. JUNOS security devices can forward ARP requests to a remote device when proxy ARP is enabled.
- D. JUNOS security devices can reply to ARP requests intended for a remote device when proxy ARP is enabled.

Answer: B,D

QUESTION NO: 5

For IKE phase 1 negotiations, when is aggressive mode typically used?

- A. when one of the tunnel peers has a dynamic IP address
- B. when one of the tunnel peers wants to force main mode to be used

-
- C. when fragmentation of the IKE packet is required between the two peers
 - D. when one of the tunnel peers wants to specify a different phase 1 proposal

Answer: A

QUESTION NO: 6

Click the Exhibit button.

[edit groups]

```
user@host# show
```

```
node0 {
  system {
    host-name NODE0;
  }
  interfaces {
    fxp0 {
      unit 0 {
        family inet {
          address 1.1.1.1/24;
        }}}
  }
  node1 {
    system {
      host-name NODE1;
    }
    interfaces {
      fxp0 {
        unit 0 {
          family inet {
            address 1.1.1.2/24;
          }}}
    }
  }
}
```

In the exhibit, what is the function of the configuration statements?

- A. This section is where you define all chassis clustering configuration.
- B. This configuration is required for members of a chassis cluster to talk to each other.
- C. You can apply this configuration in the chassis cluster to make configuration easier.
- D. This section is where unique node configuration is applied.

Answer: D

QUESTION NO: 7