

ISLEVER

JN0-332

Juniper Networks Certified Internet Specialist,
SEC (JNCIS-SEC)

DEMO

<https://www.islever.com/jn0-332.html>

<https://www.islever.com/juniper.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Topic 1, Volume A

QUESTION NO: 1

Which configuration keyword ensures that all in-progress sessions are re-evaluated upon committing a security policy change?

- A. policy-rematch
- B. policy-evaluate
- C. rematch-policy
- D. evaluate-policy

Answer: A

Explanation:

QUESTION NO: 2

Click the Exhibit button.

```
[edit security policies from-zone trust to-zone untrust]user@host# show
policy tunnel-traffic {
  match {
    source-address local-net;
    destination-address remote-net;
    application any;
  }
  then {
    permit;
  }
}
```

You need to alter the security policy shown in the exhibit to send matching traffic to an IPsec VPN tunnel. Which command causes traffic to be sent through an IPsec VPN named remote-vpn?

- A. [edit security policies from-zone trust to-zone untrust]
user@host# set policy tunnel-traffic then tunnel remote-vpn
- B. [edit security policies from-zone trust to-zone untrust]
user@host# set policy tunnel-traffic then tunnel ipsec-vpn remote-vpn
- C. [edit security policies from-zone trust to-zone untrust]
user@host# set policy tunnel-traffic then permit ipsec-vpn remote-vpn
- D. [edit security policies from-zone trust to-zone untrust]
user@host# set policy tunnel-traffic then permit tunnel ipsec-vpn remote-vpn

Answer: D

Explanation:

QUESTION NO: 3

Which three security concerns can be addressed by a tunnel mode IPsec VPN secured by AH?
(Choose three.)

- A. data integrity
- B. data confidentiality
- C. data authentication
- D. outer IP header confidentiality
- E. outer IP header authentication

Answer: A,C,E

Explanation:

QUESTION NO: 4

You must configure a SCREEN option that would protect your router from a session table flood. Which configuration meets this requirement?

A. [edit security screen]
user@host# show
ids-option protectFromFlood {
icmp {
ip-sweep threshold 5000;
flood threshold 2000;
}
}

B. [edit security screen]
user@host# show
ids-option protectFromFlood {
tcp {
syn-flood {
attack-threshold 2000;
destination-threshold 2000;
}
}
}

C. [edit security screen]
user@host# show
ids-option protectFromFlood {

```
udp {  
flood threshold 5000;  
}  
}  
D. [edit security screen]  
user@host# show  
ids-option protectFromFlood {  
limit-session {  
source-ip-based 1200;  
destination-ip-based 1200;  
}  
}
```

Answer: D

Explanation:

QUESTION NO: 5

Which type of Web filtering by default builds a cache of server actions associated with each URL it has checked?

- A. Websense Redirect Web filtering
- B. integrated Web filtering
- C. local Web filtering
- D. enhanced Web filtering

Answer: B

Explanation:

QUESTION NO: 6

Which security or functional zone name has special significance to the Junos OS?

- A. self
- B. trust
- C. untrust
- D. junos-global

Answer: D

Explanation: