

ISLEVER

# L50-502

LSI SVM5 Solutions Architect

DEMO

<https://www.islever.com/l50-502.html>

<https://www.islever.com/lsi.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

## Topic 1, Volume A

### QUESTION NO: 1

You are trying to determine the optimal solution to meet the data recovery needs of a customer. What will provide your customer with the smallest recovery time objective and array failure protection?

- A. asynchronous multiMirror
- B. multiView
- C. multiCopy
- D. synchronous multiMirror

**Answer: D**

**Explanation:**

### QUESTION NO: 2

Which storage arrays can be migrated under SVM 5 control?

- A. SAS storage array
- B. iSCSI storage array
- C. FC storage array
- D. Infiniband storage array

**Answer: C**

**Explanation:**

### QUESTION NO: 3

Your customer wants to run backups at any time of the day, using snapshots of production data, leaving production systems fully online and available during backups. Which SVM application would be used to achieve their online backup requirement?

- A. multiMigrate
- B. multiMirror
- C. multiView
- D. SVM volume management

**Answer: C**

**Explanation:**

---

**QUESTION NO: 4**

A financial institution has an Oracle application that is critical to its business. Which three factors will enable you to assess how to provide high availability and recovery? (Choose three.)

- A. application recovery time objective
- B. application recovery point objective
- C. distance between data centers
- D. number of network adapters
- E. distance between servers

**Answer: A,B,C**

**Explanation:**

**QUESTION NO: 5**

A customer would like to implement SVM into their current storage environment and has asked you to provide a detailed overview of both the SVM and DPM architectures. Where would you suggest that they locate the required information?

- A. Host Compatibility Matrix
- B. Deployment Guide for SVM 4
- C. SVM User Guide
- D. Configuration Knowledge Base for SVM 5

**Answer: C**

**Explanation:**

**QUESTION NO: 6**

You are implementing zoning for an SVM 5 environment. Which rule should you observe when zoning servers with DPMs?

- A. There should be no more than four paths per DPM to any one server.
- B. There should be no more than two paths per DPM to any one server.
- C. All servers and DPM front-end ports should reside in the same zone.
- D. The servers should be zoned directly with the storage controllers.

---

**Answer: B**

**Explanation:**

**QUESTION NO: 7**

A customer has an AIX high availability cluster multiprocessing (HACMP) environment and would like to use SVM to provide additional storage to the cluster. Which consideration must be met to access the new volumes?

- A.** The AIX light agent must be installed on all nodes.
- B.** The new volumes must be imported into a volume group.
- C.** The LSI failover driver must be installed on all nodes.
- D.** The MPIO driver must be disabled on all nodes.

**Answer: A**

**Explanation:**

**QUESTION NO: 8**

A retailer with a SQL database must pull statistics from a production database but would like to do so without interfering with production work. The statistics are required by three different departments. Which two methods could be used to do this? (Choose two.)

- A.** Use multiMigrate on the database volume with one job and assign the destination volume to the three hosts.
- B.** Use multiMirror asynchronous on the database volume with three jobs and assign the jobs to the three hosts.
- C.** Use multiView on the database volume to create a PiT; create three views for that PiT and assign it to the three hosts.
- D.** Use multiCopy on the database volume with three jobs and assign each destination volume to the three hosts.

**Answer: C,D**

**Explanation:**

**QUESTION NO: 9**

Your customer has recently begun using hourly PiTs for rapid application recovery. The desire is