# ISLEVER

# M6040-424

IBM SurePOS 30 Models 34x and E4x Sales mastery Exam

DEMO

https://www.islever.com/m6040-424.html https://www.islever.com/ibm.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

# **QUESTION NO: 1**

What is the purpose of the SurePort options on the SurePOS 340?

- A. to let retailers choose which ports they want based on their peripherals
- B. to provide a common port for both USB and RS-232 peripherals
- C. to allow for greater expansion through USB and RS-232 port splitters
- D. to replace the internal PCI slot with a smaller external port for PCI peripherals

#### Answer: A

| Explanation:                        | IBM SurePorts | 24 V USB | 12 V USB | Powered RS-232 (9-pin) |
|-------------------------------------|---------------|----------|----------|------------------------|
| Powered RS-232/USB mix<br>(default) | - <u> </u>    | tuallo   | 1        | 3                      |
| All powered USB (option)            |               | 1        | 4        |                        |

# **QUESTION NO: 2**

Which two SurePOS 300 models come with Windows Embedded for Point of Sale (WEPOS) preloaded? (Choose two.)

**A.** 340

**B.** E40

**C.** 34A

**D.** E4A

#### Answer: B,D

Explanation: B:Model E40 is preloaded with Microsoft WEPOS operating system.

D:The following operating systems are available as a preload forthe E4Amodel: Microsoft Windows Embedded POSReady 2009, Microsoft Windows Embedded POSReady 7, Microsoft Windows Embedded Point of Service -WEPOS V1.1 and Mircosoft Windows XP Professional for Embedded Systems.

Note: Microsoft WindowsEmbedded for Point of Service (WEPOS)

# **QUESTION NO: 3**

Which port is on the front of the SurePOS 340?

A. audio
B. cash drawer
C. RS-232
D. USB

# Answer: D

Explanation: PC USB ports:2 (back), 1 (front)

# **QUESTION NO: 4**

Which statement is true about the deep sleep capability of the SurePOS 340?

- **A.** It is used more to prevent screen burn-in than to save energy.
- **B.** It is the same as the hibernate feature on most laptop computers.
- C. It draws only slightly more power than completely turning the unit off.
- **D.** It requires a complete reboot to return to a working state.

# Answer: C

**Explanation:** The energy saving 'deep sleep' capability and provides significantly faster performance yet similar power usage at idle.

# **QUESTION NO: 5**

Which software feature of the SurePOS 340 interfaces with sensor drivers to allow systems to be monitored from a central location?

- A. IBM WebSphere
- B. Retail Environment for SUSE Linux (IRES)
- C. Remote Management Agent (RMA)
- D. Diagnostics for POS Systems and Peripherals

Answer: C Explanation:

# **QUESTION NO: 6**

How much smaller is the SurePOS 340 than previous SurePOS 300 models?

**A.** 18% **B.** 37% **C.** 55% **D.** 84%

# Answer: B

**Explanation:** The 4810-340 is the smallest IBM SurePOS 300 and is 37%smallermeasuring just over 10 inches (257 mm) in length. This amazingly small footprint offers flexible space-saving placement and remarkable versatility.

# **QUESTION NO: 7**

Which warranty option comes with most SurePOS 300 Express E4x models?

- A. on-site repair, 9 hours per day, five days per week, same day response
- B. courier-based repair, 1-5 business day repair time, vendor-supplied shipping
- **C.** on-site repair. 24 hours per day, seven days per week, same day response
- D. courier-based repair. 7-10 business day repair time, customer-supplied shipping

# Answer: C

# **Explanation:**

Warranty period: One Year

Warranty service: IBM on-site repair (IOR), 24 hours a day, 7 days a week, same-day response

Reference:IBM SurePOS 300 Express solution delivers targeted functionality for mid-sized retailers

# **QUESTION NO: 8**

What is the purpose of the depot warranty available on administrative models of the SurePOS 340?

- **A.** to provide same day on-site repair, seven days a week
- **B.** to offer a less expensive warranty option for self maintainers