

ISLEVER

# MA0-150

McAfee Certified Assessment Specialist -  
Network

DEMO

<https://www.islever.com/ma0-150.html>

<https://www.islever.com/mcafee.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

## Topic 1, Volume A

### QUESTION NO: 1

An attacker has compromised a Linux/Unix host and discovers a suspicious file called "password" that has no file extension. What command can be used to determine the filetype?


- A. filetype
- B. file
- C. filer
- D. fileext

**Answer: B**

**Explanation:**

### QUESTION NO: 2

Below is a packet capture from Wireshark showing 2 equivalent MAC address in the Source field. Box 1 shows "Asustek..." while Box 2 shows "00:1a:92..".



-Wireshark can determine these are equivalent because MAC addresses can be mapped to

- A. Operating systems (and variants)
- B. Computer names
- C. RFCs
- D. Vendors

**Answer: D**

**Explanation:**

---

**QUESTION NO: 3**

What is the correct syntax to query under which service a user account is running?

- A. sc.exe \\192.168.1.1 qc <service>
- B. sc.exe \\192.168.1.1 <service>
- C. net start \\192.168.1.1 qc
- D. net start W192.168.1.1

**Answer: A**

**Explanation:**

**QUESTION NO: 4**

What file indicates and controls where system logs are stored?

- A. pam.conf
- B. smb.conf
- C. authlog.conf
- D. syslog.conf

**Answer: D**

**Explanation:**

**QUESTION NO: 5**

The command "grep password \*" searches for

- A. The word "password" in all files in the current directory.
- B. The character "\*" in the file "password".
- C. The word "password" in all files in the current directory and all subdirectories.
- D. All passwords in the file named "\*".

**Answer: A**

**Explanation:**

**QUESTION NO: 6**

---

The following output is generated from `cat /etc/shadow`:

```
root:$6$GkfJ0/H/  
$IDtJEzDO1vh7VyDG5rnnLLMXwZl.cikuITg4wtXjq98Vlcf/PA2D1QsT7  
VHSsu46B/od4IJlqENMtc8dSpBEa1:14592:0:99999:7::  
daemon:x:14592:0:99999:7::  
bin:x:14592:0:99999:7:::
```

What hashing algorithm is used to protect the root password?

- A. Crypt (DES)
- B. MD5
- C. Blowfish
- D. SHA

**Answer: D**

**Explanation:**

#### **QUESTION NO: 7**

In computer security, a small piece of code that acts as a payload in which an attacker can control a remote machine is called

- A. A buffer overflow.
- B. A NOP sled.
- C. Shell code.
- D. Stack overflow.

**Answer: C**

**Explanation:**

#### **QUESTION NO: 8**

A person connects to a web application via a mobile device. What request header name can this application use determine which device the person is using?

- A. Referer
- B. User agent