

ISLEVER

NS0-121

Network Appliance Data ONTAP Advanced
Exam 7G

DEMO

<https://www.islever.com/ns0-121.html>

<https://www.islever.com/netapp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

If a qtree security style is UNIX, CIFS client file access is determined by _____ .

- A. UNIX permissions, and if the CIFS user name can be mapped to a UNIX user name
- B. (Not Allowed) A CIFS client cannot access files in a qtree with a security style of UNIX.
- C. NT ACLs
- D. The last client to set permissions

Answer: A

QUESTION NO: 2

The quota resize command only affects existing /etc/quotas file target entries, not new target entries.

- A. True
- B. False

Answer: A

QUESTION NO: 3

Given the content of the /etc/quotas file, fill in the blank by selecting the appropriate answer for the following statement:

"A CIFS user named wesson can use _____ of disk space and 75K files in the /vol/wmv/proj1 qtree."

/etc/quotas file:

#Quota Target	type	disk	files
*	user@/vol/wmv	50M	75K
*	group@/vol/wmv	750M	75K
*	tree@/vol/wmv	50M	75K
lmoe	user@/vol/wmv/proj1	100M	75K
wesson	user@/vol/wmv	60M	75K
wesson	user@/vol/wmv/proj1	70M	75K

Actual Tests

- A. 60MB
- B. 50MB
- C. 70MB
- D. 100MB

Answer: C

QUESTION NO: 4

Please click the Exhibit button.

Which of the following operations might generate this sysstat output?

CPU	NFS	CIFS	HTTP	Net kB/s		Disk kB/s		Tape kB/s		Cache
				in	out	read	write	read	write	age
89%	0	0	0	0	0	66215	191	0	0	>60
89%	0	0	0	0	0	66848	0	0	0	>60
93%	0	0	0	0	0	70400	0	0	0	>60
90%	0	0	0	0	0	67712	0	0	0	>60
91%	0	0	0	0	0	68544	24	0	0	>60
90%	0	0	0	0	0	67676	0	0	0	>60
93%	0	0	0	0	0	69018	0	0	0	>60
91%	0	0	0	0	0	68192	0	0	0	>60
93%	0	0	0	0	0	69408	0	0	0	>60
91%	0	0	0	0	0	67776	24	0	0	>60
92%	0	0	0	0	0	69080	0	0	0	>60
89%	0	0	0	1	0	66925	184	0	0	>60

- A. Volume copy
- B. SnapMirror
- C. Volume reconstruction
- D. Disk Scrub

Answer: D

QUESTION NO: 5

Which one of the following is NOT part of the UNIX security style?

- A. GID
- B. SID
- C. Other
- D. UID

Answer: B

QUESTION NO: 6

In the Windows environment, the storage appliance supports the use of local groups in managing users and groups.

-
- A. True
 - B. False

Answer: A

QUESTION NO: 7

Which TWO of the following allow you to read and analyze a packet trace file generated by the storage appliance?

- A. pktt
- B. Ethereal
- C. Eternal View
- D. Netmon

Answer: B,D

QUESTION NO: 8

Which option should be used with the nfsstat command to assist in decoding export and mountd errors?

- A. nfsstat -t
- B. nfsstat -c
- C. nfsstat -z
- D. nfsstat -d

Answer: D

QUESTION NO: 9

On a newly created qtree, you notice the following:

- * CIFS permissions on the qtree are everyone: full control.
- * Your Windows users can access the share, and can copy, edit, and delete files without issue.
- * The super user on a Solaris workstation can mount other qtrees from the same volume.

The super user receives an "Access Denied" message when he attempts to mount the new qtree. What the most likely cause of this error?

- A. The qtree is set to ntfs only security style.