

ISLEVER

NS0-141

Network Appliance High Availability Exam 7G

DEMO

<https://www.islever.com/ns0-141.html>

<https://www.islever.com/netapp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

In a Fabric Attached MetroCluster, a "disaster" is described as a:

- A. Failure of the Inter-Switch-Links (ISL)
- B. Failure of the interconnect cable
- C. Malfunction of the Fiber Channel adapter on the cluster node
- D. Prolonged communication disruption

Answer: D

QUESTION NO: 2

When using MetroCluster, identify TWO methods for restricting access to the disaster site node.

- A. Use manual fencing.
- B. Use the `cf forcetakeover -d` command.
- C. Use the `cf giveback -f` command.
- D. Turn off power to the disaster site node.

Answer: A,D

QUESTION NO: 3

A mirrored volume, volX, is composed of twelve 36-Gigabyte disks: six in volX/plex0, six in volX/plex1. A drive fails in plex1, but pool 1 contains only 72-Gigabyte spare disks. Data ONTAP will do which of the following?


- A. Alert you that there are no 36-Gigabyte disks and wait for one to be inserted
- B. Halt after 24 hours of running in degraded mode
- C. Choose a 72-Gigabyte disk and downsize it
- D. Stop any applications that are running

Answer: C

QUESTION NO: 4

Please click the "Exhibit" button.

By definition, a Fabric Attached MetroCluster consists of two fabrics. Given this Fabric Attached MetroCluster diagram, identify the first fabric in the cluster.



- A. Switch1->ISL2->Switch4
- B. Switch1->ISL1->Switch3
- C. Switch2->ISL2->Switch4
- D. Switch2->ISL1->Switch3

Answer: B

QUESTION NO: 5

Which one of the following statements is true of the cf forcetakeover -d command?

- A. Mirrored volumes are implicitly split.
- B. None of the above
- C. The surviving cluster node takes over the functions of the failed partner.
- D. Both of the above

Answer: D

QUESTION NO: 6

Which of the following is NOT a required license for Fabric Attached MetroCluster?

- A. Cluster_remote
- B. Cluster
- C. Syncmirror_local
- D. Syncmirror_remote

Answer: D

QUESTION NO: 7

When using MetroCluster, identify TWO methods for restricting access to the disaster site node.

- A. Use the cf forcetakeover -d command.
- B. Use manual fencing.
- C. Turn off power to the disaster site node.
- D. Use the cf giveback -f command.

Answer: B,C

QUESTION NO: 8

Normally, before you split a SyncMirror volume, you ensure that both plexes are _____ and _____.

- A. online, operational
- B. offline, operational
- C. snapshots, contain the most recent snapshot
- D. plexes, pools

Answer: A

QUESTION NO: 9

Please click the "Exhibit" button.

Which clustered storage appliance's disk shelves are terminated correctly?