

ISLEVER

NS0-156

Data ONTAP Cluster-Mode Administrator

DEMO

<https://www.islever.com/ns0-156.html>

<https://www.islever.com/netapp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Topic 1, Volume A

QUESTION NO: 1

What are the three types of Vservers in clustered Data ONTAP 8.2? (Choose all that apply)

- A. System Vserver
- B. Node Vserver
- C. Admin Vserver
- D. Data Vserver
- E. Management Vserver
- F. Cluster Vserver

Answer: B,C,D

Explanation:

QUESTION NO: 2

What is the maximum number of nodes supported for clustered Data ONTAP 8.2 serving only NAS protocols?

- A. 1
- B. 2
- C. 4
- D. 6
- E. 16
- F. 24

Answer: F

Explanation:

QUESTION NO: 3

In clustered Data ONTAP, which object exposes data to clients?

- A. A high-available pair of storage controllers
- B. An admin vserver
- C. A node vserver
- D. A data vserver

Answer: D

Explanation:

QUESTION NO: 4

Which of the following shells are part of a Data ONTAP cluster? (choose all that apply)

- A. Management
- B. Admin
- C. System
- D. Node
- E. Cluster
- F. Advanced

Answer: C,D,E

Explanation:

QUESTION NO: 5

Which of the following protocols can be used to obtain the clustered ONTAP 8.2 software image? (choose all that apply)

- A. NFS
- B. FTP
- C. TFTP
- D. HTTPS
- E. HTTP
- F. CIFS

Answer: B,C,E

Explanation:

QUESTION NO: 6

What is the default shell for accessing clustered Data ONTAP?

- A. Diagnostic
- B. Node
- C. Cluster

-
- D. System
 - E. Admin

Answer: C

Explanation:

QUESTION NO: 7

Which built-in user can access the system shell?

- A. admin
- B. root
- C. diag
- D. vserver-admin

Answer: C

Explanation:

QUESTION NO: 8

What is the default cluster shell account?

- A. root
- B. administrator
- C. user
- D. admin

Answer: D

Explanation:

QUESTION NO: 9

Which of the following privilege levels are found in clustered data ONTAP? (Choose all that apply)

- A. admin
- B. advanced
- C. diagnostic
- D. system