

ISLEVER

NS0-170

Cisco NetApp FlexPod Design Specialist

DEMO

<https://www.islever.com/ns0-170.html>

<https://www.islever.com/netapp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION 1

The correct manner in which to open a Network Appliance support ticket is to _____ at the NOW site?

- A. Submit a RMA
- B. Submit a support ticket
- C. Submit a Case
- D. Submit a BURT

Answer: C

QUESTION 2

One of the actions below cannot be accomplished with the NetCache command line, which one is it?

- A. Eject objects from the NetCache
- B. Download software
- C. Set root password
- D. Kick off telnet users

Answer: D

QUESTION 3

Which one of the following is the CLI equivalent command used for installing, committing, and rebooting NetCache software images from NetCache GUI guessing that the path for the server is `http://10.1.1.1/nc-image.zip`?

- A. `download -icr http://10.1.1.1/nc-image.zip`
- B. `download -i -c -r http://10.1.1.1/nc-image.zip`
- C. `install http://10.1.1.1/nc-image.zip`
- D. `install -dcr http://10.1.1.1/nc-image.zip`

Answer: D

QUESTION 4

One of the items below cannot be set for NetCache authentication groups, which one is it?

- A. administrative rights
- B. group name
- C. group password
- D. protocol access permissions

Answer: C

QUESTION 5

State whether the following statement is true or false. To enable the NetCache appliance to load balance between a pool of Web servers you must specify the server IP addresses in the NetCache acceleration rule

- A. False
- B. True

Answer: B

QUESTION 6

State whether the following statement is true or false. The NetCache appliances use RAID 4 with 1 parity disk and 1 or more disk for data purposes only.

- A. True
- B. False

Answer: A

QUESTION 7

When would the ideal time to use the NetCache DNS Tree Search option?

- A. users will not always provide fully-qualified domain names
- B. users always provide fully-qualified domain names
- C. you want to reduce network traffic
- D. faster resolutions are desired

Answer: A

QUESTION 8

What is the traceroute command used for?

- A. print the route packets take to a network host
- B. display a list of active sockets for each protocol
- C. report interface activity in Kbps
- D. show the state of each interface

Answer: A

QUESTION 9

The default hierarchy wholly consists of a child and a parent in NetCache where the parent in the NetCaches has an option of being in a cluster configuration. State whether the above statement is true or false.

- A. False
- B. True

Answer: B