

ISLEVER

P2090-045

IBM InfoSphere Information Server for Data
Integration Fundamentals Technical Mastery
Test v1

DEMO

<https://www.islever.com/p2090-045.html>

<https://www.islever.com/ibm.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

For the Information Server Repository, which Relational Database Management System (RDMS) CANNOT be used?

- A. Microsoft SQL Server
- B. Informix
- C. DB2 UDB
- D. Oracle

Answer: B

Explanation:

QUESTION NO: 2

Where are Table Definitions stored?

- A. Information Server metadata repository
- B. In the file system as a binary file
- C. In the file system as a csv file
- D. None of the above

Answer: A

Explanation:

QUESTION NO: 3

Which of the following is a valid Write Table action in the Connector Stages?

- A. Append
- B. Replace
- C. Truncate
- D. All of the above

Answer: D

Explanation:

QUESTION NO: 4

Which type of Join would you select for the Join Stage to output unmatched records from both input data sources?

- A. Inner join
- B. Left outer join

-
- C. Right outer join
 - D. Full outer join

Answer: D

Explanation:

QUESTION NO: 5

In a Job Sequence, what is the purpose for the use of Checkpoints?

- A. Monitor performance and failure for each stage
- B. Automatically restart a job
- C. Record the log information for each trigger
- D. Restart a job from the latest Checkpoint in case of job failures

Answer: D

Explanation:

QUESTION NO: 6

Using a Job Sequence, which of the following tasks CANNOT be performed?

- A. Define specific user variables and make them available within a Job Sequence
- B. Drop a database table using a script, then start two different parallel jobs in sequence when a file appears in a specific directory
- C. Run two different parallel jobs in sequence and use job parameters to pass different \$APT_CONFIG _FILE values for each of them
- D. Create multiple Exception Handlers stages to handle different types of failures

Answer: D

Explanation:

QUESTION NO: 7

Which statement about Metadata Workbench is incorrect?

- A. It can extend data lineage to display data integration flows that are outside of Information Server
- B. It relies on the repository functions in DataStage Designer for impact analysis
- C. It displays data lineage reports
- D. It allows Metadata Workbench administrators to associate data stewards with data objects

Answer: B

Explanation:

QUESTION NO: 8

A Job Sequence CANNOT contain _____.

- A. Transformer Stages
- B. Sequencer Stages
- C. Triggers
- D. Job Activity Stages

Answer: A

Explanation:

QUESTION NO: 9

In DataStage, which client can be used to set environment variables at project level?

- A. DataStage Designer
- B. DataStage Administrator
- C. DataStage Director
- D. Information Server Web Console

Answer: B

Explanation:

QUESTION NO: 10

What action will a Lookup Stage take when "Drop" is selected as the Lookup Failure Option?

- A. Stage reports an error
- B. Stage skips the input record
- C. Stage rejects the Input record
- D. Job gets aborted

Answer: B

Explanation:

QUESTION NO: 11

The ODBC Connector Stage can be used to connect to _____.

- A. Oracle database
- B. Teradata database