

ISLEVER

P2090-078

IBM InfoSphere MDM Standard Edition
Technical Mastery Test v1

DEMO

<https://www.islever.com/p2090-078.html>

<https://www.islever.com/ibm.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

What does the MADUNLLOAD job do?

- A. It loads the records into the report extractor
- B. It formats the Dun & Bradstreet data to be loaded into the relationships table
- C. It performs simple data cleansing, like removing blanks and zeros
- D. It loads UNL files into the database for Member, Entity, Audit, and Relationship data

Answer: D

Explanation:

QUESTION NO: 2

Which of the following is a contributor of member records to the Hub?

- A. Attribute Segment
- B. Definitional Source
- C. Informational Source
- D. Consuming Source

Answer: B

Explanation:

QUESTION NO: 3

What is the view of a member or entity in Inspector called?

- A. Enterprise View
- B. Composite View
- C. Consolidated View
- D. Most Current View

Answer: B

Explanation:

QUESTION NO: 4

Which of these is NOT a valid input for deriving data (assuming nothing else has changed in your configuration)?

- A. A text file containing the original source extract
- B. Existing binary files
- C. Existing UNL files
- D. Existing data in the Hub database

Answer: B

Explanation:

QUESTION NO: 5

What is the suggested number of records to collect for an initial Data Extract file?

- A. ~500,000
- B. 20% of total records across sources
- C. ~2,000,000
- D. 10% or ~1,000,000 whichever is larger

Answer: D

Explanation:

QUESTION NO: 6

What does it mean to have an 'Edit Distance of 0'?

- A. 0 means an exact match
- B. 0 means one or both values are missing or NULL
- C. You can never have an Edit Distance of 0
- D. 0 means the two strings being compared are off by 1 character

Answer: A

Explanation:

QUESTION NO: 7

Which table stores the master list of Attribute Record Numbers (AttrRecNo) and the Attribute

Codes (AttrCode)?

- A. mpi_SegAttr
- B. mpi_AttrXFld
- C. mpi_SegFld
- D. mpi_SegHead

Answer: A

Explanation:

QUESTION NO: 8

Which final bucket would the EQMETA Bucket Generation Type create with the name "Eddie"?

- A. Use nicknaming to convert it to 'EDWARD'
- B. Use phonetics to convert it to 'ET'
- C. Use nicknaming and phonetics to convert it to Edward, then to 'ETWRT'
- D. Use nicknaming and phonetics to convert it to Ed, then to 'ET'

Answer: C

Explanation:

QUESTION NO: 9

Which field is an internal identifier that is generated by the Hub?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Answer: A

Explanation:

QUESTION NO: 10

What is NOT part of the output of the Derive Data and Create UNLs (MPXDATA) job?