

ISLEVER

# ST0-097

Symantec Brightmail Gateway 9.0 (STS)

DEMO

<https://www.islever.com/st0-097.html>

<https://www.islever.com/symantec.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

In which two situations are multiple group policies useful? (Select two.)

- A. when the entire organization wants to delete spam
- B. when only the Human Resources department wants to receive spam
- C. when only the Engineering department wants to keep message logs
- D. when only the Legal department should be allowed to send archive files
- E. when all of the departments want to scan outbound messages

**Answer: B,D**

**Explanation:**

**QUESTION NO: 2**

Which two actions must be taken to allow end-users to create personal Good and Bad Senders lists? (Select two.)

- A. add "Hold message in Spam Quarantine" action to Local Bad Senders domains
- B. check the option "Enable end-user settings for this policy group"
- C. configure an LDAP source with Authentication and Recipient Validation functions
- D. configure an LDAP source with Authentication and Routing functions
- E. configure an LDAP source with Authentication and Address Resolution functions

**Answer: B,E**

**Explanation:**

**QUESTION NO: 3**

Which additional Email Reports Data collection must be enabled to track Top Probe Accounts via reports?

- A. Invalid Senders
- B. Sender HELO domains
- C. Sender IP connections
- D. Invalid Recipients

**Answer: D**

**Explanation:**

---

**QUESTION NO: 4**

What is the default report data retention period?

- A. 7 days
- B. 14 days
- C. 30 days
- D. 60 days

**Answer: A**

**Explanation:**

**QUESTION NO: 5**

What is the maximum number of rows a report can have?

- A. 100 rows
- B. 1,000 rows
- C. 10,000 rows
- D. 100,000 rows

**Answer: B**

**Explanation:**

**QUESTION NO: 6**

A company uses multiple control centers. What must be done to ensure legitimate NDRs are recognized by Bounce Attack Prevention across all scanners?

- A. configure the same seed value on each control center
- B. configure different seed values on each control center
- C. configure the same seed value on each scanner
- D. configure different seed values on each scanner

**Answer: A**

**Explanation:**

---

**QUESTION NO: 7**

During which phase of inbound message flow does Symantec Brightmail Gateway 9.0 accept, reject, or defer messages on the basis of the message envelope?

- A. SMTP delivery
- B. message filtering
- C. SMTP session
- D. message routing

**Answer: C**

**Explanation:**

**QUESTION NO: 8**

What are two functions of the Control Center? (Select two.)

- A. It provides message management services.
- B. It downloads spam definitions.
- C. It hosts Spam Quarantine.
- D. It downloads virus definitions.
- E. It runs filters.

**Answer: A,C**

**Explanation:**

**QUESTION NO: 9**

During which phase of outbound message flow does Symantec Brightmail Gateway 9.0 determine whether the number of recipients exceeds the good number of recipients per message?

- A. message routing
- B. message delivery
- C. outbound SMTP session
- D. outbound SMTP connection

**Answer: C**

**Explanation:**