

ISLEVER

ST0-12X

Veritas Cluster Server 5 for Unix (STS)

DEMO

<https://www.islever.com/st0-12x.html>

<https://www.islever.com/symantec.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Two applications must either be online on the same system of a cluster or offline on the same system of a cluster. Which Location of Dependency supports this behavior?

- A. global
- B. local
- C. hard
- D. remote

Answer: B

QUESTION NO: 2

A dependent service group can be brought online on SystemA only if an independent service group is online in the same Veritas Cluster Server cluster. If the independent service group faults, the dependent service group is taken offline. After the independent service group successfully fails over, Veritas Cluster Server will bring the dependent service group online. Which type of service group dependency does this describe?

- A. online global firm
- B. online local soft
- C. offline local soft
- D. offline global hard

Answer: A

QUESTION NO: 3

You have a two-system cluster with a production application on one system and a test application on another. The test and production applications cannot run on the same system at the same time. If the production application needs to fail over, the test application must be shut down first. Which category of service group dependency supports this behavior?

- A. offline
- B. global
- C. local
- D. online

Answer: A

QUESTION NO: 4

You are running a Veritas Cluster Server cluster that is replicating to a remote site. Your DBA creates a new volume for additional table space. How could this affect your disaster recovery?

- A. The amount of tablespace replicated may now exceed the licensed amount.
- B. The additional table space may not be formatted for replication.
- C. The number of volumes replicated may now exceed the licensed amount.
- D. The volume may not be added to the replicated volume group.

Answer: D

QUESTION NO: 5

What is the Veritas Storage Foundation feature that allows you to easily get a static copy of replicated data at the secondary site?

- A. Snapshots
- B. FastResync
- C. Data Change Maps
- D. Global Cluster Option

Answer: A

QUESTION NO: 6

Which Storage Foundation feature is used to send data changes to a remote site via an IP network?

- A. Storage Replicator
- B. Volume Replicator
- C. NetBackup
- D. Replication Exec

Answer: B

QUESTION NO: 7

Which characteristic of Veritas Cluster Server attributes allows the public interface to be different for each of the systems in the cluster?

- A. global

-
- B. local
 - C. system
 - D. cluster

Answer: B

QUESTION NO: 8

There are two connections from each system to the same subnet of the public network. Which bundled resources are used to configure IP failover within a system?

- A. NIC and IP
- B. SharedNIC only
- C. SharedNIC and SharedIP
- D. MultiNICB and IPMultiNICB

Answer: D

QUESTION NO: 9

You require the ability to automatically failback to the original NIC after a fault. Which network resource combination would you use for failovers of virtual IP addresses across interfaces on a single system?

- A. IP/NIC
- B. IPMultiNIC/MultiNICA
- C. IPMultiNICB/MultiNICB
- D. IPMultiNICC/MultiNICC

Answer: C

QUESTION NO: 10

Which network resource combination would you use for failovers of virtual IP addresses when you have only one available NIC to the public network?

- A. IP/NIC
- B. IPMultiNIC/MultiNICA
- C. IPMultiNICB/MultiNICB
- D. IPMultiNICC/MultiNICC