ISLEVER

ST0-47X

Symantec NetBackup 6.5 (STS)

DEMO

https://www.islever.com/st0-47x.html https://www.islever.com/symantec.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

A ______ is logical destination for a client's backup data.

- A. Catalog
- B. Policy
- C. Storage unit
- D. Selection list

Answer: C

QUESTION NO: 2

Which of the following is the default volume pool for hot, online catalog backups?

- A. CatBackup
- B. CatalogBackup
- C. CatalogOnline
- D. CatalogVP

Answer: B

QUESTION NO: 3

The license key contain information on wich of the following?

- A. Whether the key is for a server, client, agent, or option
- B. Whether the key is permanent or an evaluation key
- C. The expiration date of a temporary evaluation key
- D. All of the above

Answer: D

QUESTION NO: 4

Which database is the largest part of the NetBackup metadata?

- A. Global Device Database
- B. Voluem Database
- C. Image Database
- D. Oracle Database

Answer: C

QUESTION NO: 5

Which properties affect all operations for all policies and clients?

- A. Access management
- B. Global attributes
- C. NetBackup management
- D. General server attributes

Answer: B

QUESTION NO: 6

Which of the following guidelines applies to upgrading NetBackup to 6.5?

- A. No client can be a higherNetBackup version than its media server
- B. No media server can be ahegher NetBackup version than its master server
- C. The master server must be the first system upgraded to 6.5.
- D. All of the above

Answer: D

QUESTION NO: 7

Which of the following are tabs in the details pane of the Activity Monitor?

A. Jobs

- B. Daemon or services
- C. Processes
- D. All of the above

Answer: D

QUESTION NO: 8

NetBackup commands are often used in UNIX shell or Windows batch scripts to perform reusable custom operations.

A. True

B. False

Answer: A

QUESTION NO: 9

Which of the following is not a component of NOM?

- A. The NOM console
- B. The NOM server
- C. The NOM configuration utility
- D. All of the above are components of NOM

Answer: C

QUESTION NO: 10

Which of the following is the recommended method to configure device into Media Manager?

- A. Media and DevicesManagment interface
- B. DeviceManagment Configuration utility
- C. Command-line interface
- D. Device Configuration wizard

Answer: D

QUESTION NO: 11

Drive Name Rules are used to automatically create drive names based on rules you specify. You can use drive name rules when a drive is first added to your configuration.

- A. True
- B. False

Answer: A

QUESTION NO: 12

What is device serialization?