ISLEVER

SU0-211

Huawei Cert Datacom Associate-Network Technology & Device

DEMO

https://www.islever.com/su0-211.html
https://www.islever.com/huawei.html

QUESTION NO: 1

IP address 199.32.59.64, subnet mask is 255.255.255.224, subnet address

A. 199.32.59.64
B. 199.32.59.65
C. 199.32.59.192
D. 199.32.59.224

Answer: A
Explanation:

QUESTION NO: 2

Huawei router serial interface encapsulation PPP protocol, you need to enter the command interface view is

A. link-protocol ppp
B. encapsulation ppp
C. enable ppp
D. address ppp

Answer: A
Explanation:

QUESTION NO: 3

Divided by the network topology, network can be divided into

A. Bus
B. Star
C. Tree
D. Ring
E. grid

Answer: A,B,C,D,E
Explanation:

QUESTION NO: 4

Among which the following network security and confidentiality of poor

A. mesh
B. tree
C. bus
D. star3

Answer: C
Explanation:

QUESTION NO: 5

ADSL Modem with phone line interface is connected to

A. RJ 11
B. RJ 45
C. IEEE 1394
D. S / V terminal

Answer: A
Explanation:

QUESTION NO: 6

VDSL technology is applicable to ().

A. long-range (greater than 2Km, less than 5Km) dispersed customer base
B. medium distance (less than 1.5Km), more focused customer base
C. close (less than 200M)-intensive customer base
D. long-distance (greater than 15Km) a concentrated customer base

Answer: C
Explanation:

QUESTION NO: 7

Which of the following are transport layer protocol?

A. IP
B. TCP

C. UDP
D. SNMP

Answer: B,C
Explanation:

QUESTION NO: 8

In the OSI model, the transport layer for the first () level

A. 3
B. 4
C. 6
D. 7

Answer: B
Explanation:

QUESTION NO: 9

Which of the following protocol is the data link layer protocol ()

A. PPP
B. HDLC
C. IPX
D. IEEE 802.3

Answer: A,B,D
Explanation:

QUESTION NO: 10

Have their own reliability mechanism for application layer protocol, () applies as transport layer protocol.

A. TCP
B. UDP
C. ICMP
D. HDLC

Answer: B