ISLEVER

VCP-550

VMware Certified Professional on vSphere 5

Exam

DEMO

https://www.islever.com/vcp-550.html https://www.islever.com/vmware.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

An administrator is planning a vSphere infrastructure with the following specific networking requirements:

- The ability to shape inbound (RX) traffic
- Support for Private VLANs (PVLANs)
- Support for LLDP (Link Layer Discovery Protocol)

What is the minimum vSphere Edition that will support these requirements?

A. vSphere Essentials Plus
B. vSphere Standard
C. vSphere Enterprise
D. vSphere Enterprise Plus

Answer: D Explanation:

QUESTION NO: 2

What two IT infrastructure components are virtualized by vSphere Essentials? (Choose two.)

A. NetworksB. ApplicationsC. StorageD. Management

Answer: A,C Explanation:

QUESTION NO: 3

An administrator attempts to install vCenter Single Sign-On Server. The installer returns an error message indicating that the installation failed. Prior to the installation, all setup prerequisites were met. The administrator has generated a vCenter Server Single Sign-On support bundle.

Which two files should the administrator analyze to determine the cause of the failure? (Choose two.)

A. Server\utils\logs\imsTrace.log

B. Server\utils\logs\install.txt

C. %TEMP%\utils\logs\vminst.log

D. %TEMP%\vminst.log

Answer: A,D Explanation:

QUESTION NO: 4

Which Single Sign-On deployment mode should an administrator use for two 5.x vCenter Servers configured with linked mode?

- A. Basic Single Sign-On with vCenter Server Heartbeat
- B. Multisite Single Sign-On
- C. Basic Single Sign-On
- D. Single Sign-On with Linked Mode

Answer: B Explanation:

QUESTION NO: 5

Hardware	Processors	Prope
Health Status	General	- ASB
Processors	Model	Intel(R) Core(TM) i7-3740QM CPU @ 2.70GHz
Memory	Processor Speed	2.7 GHz
Storage	Processor Sockets	2
Networking	Processor Cores per Socket	1
Storage Adapters	Logical Processors	2
Network Adapters	Model Processor Speed Processor Sockets Processor Cores per Socket	N/A
Advanced Settings		
Power Management		

-- Exhibit --

Which two statements below could explain why the vSphere Client is reporting N/A for hyperthreading? (Choose two.)

The physical CPUs in the host do not support hyperthreading.

- A. Hyperthreading is disabled in the host's BIOS.
- **B.** The physical CPUs in the host are not multi-core.

C. The number of CPUs meets or exceeds the maximum without hyperthreading.

Answer: A,B Explanation:

QUESTION NO: 6

Immediately after installing an ESXi host, an administrator needs to examine the following log files:

- /var/log/hostd.log
- /var/log/vmkernel.log
- /var/log/vpxa.log

Which two connections would allow an administrator to examine these files? (Choose two.)

- A. Connecting to the Direct Console User Interface
- B. Attaching a vSphere Client directly to the ESXi host
- C. Attaching the vSphere Web Client directly to the ESXi host
- D. Attaching the vSphere Client to the vCenter Server managing the ESXi host

Answer: A,B Explanation:

QUESTION NO: 7

An administrator is upgrading a vSphere Distributed Switch. The existing switch is version 5.0 and the administrator wants to upgrade to the latest version possible. The environment contains several ESXi 5.1 hosts.

Which two options are available to ensure that the upgraded switch will be compatible with these hosts? (Choose two.)

- A. Upgrade the vSphere Distributed Switch to 5.5
- B. Upgrade the ESXi 5.1 hosts to version 5.5, then upgrade the vSphere Distributed Switch to 5.5
- C. Upgrade the vSphere Distributed Switch to 5.1
- D. Upgrade the ESXi host switches to 5.5, then upgrade the vSphere Distributed Switch to 5.5

Answer: B,C